

DWA1100 TRUCK

8-CCD SENSOR TRUCK ALIGNMENT SYSTEM



CEMB
GARAGE EQUIPMENT

DWA1100

TRUCK

LITHIUM BATTERIES: 24 hours of work, 1 year guaranteed

FEATHERWEIGHT SENSORS: only 2.8 kg

Immediate connection with innovative **BT² wireless communication**

SILICON ACCELEROMETER: shock-proof

SUNLIGHT FILTER: over 12 m wheelbase even in outdoor sun exposed environment

Simple and **user-friendly software**



SOFTWARE



Adjust two axles in one screen



Step by step procedure up to 7 axles



2 measuring heads mode
Quick measurement of front axle


Check	
Front total toe	✓
Front partial toe	✗
Front camber angle	✓
Rear total toe	✓
Rear camber angle	✓

Possible signs


AUDIT function for the
identification of driving
problems

DWA1100_{TRUCK} (with cabinet)

Ergonomic design
Industrial computer
No moving parts more likely to break
Data update through USB



STANDARD CONFIGURATION



Metal 120 mm universal grips, with reference surface, for truck and bus wheels

OPTIONAL ACCESSORIES



Clamp supporting arms and set of tips for tires with external diameter up to 50"

Grips for all rims and tires are available




Metal grips for clamping on steel rims from the inside

STANDARD COMPOSITION

Computer - 27" monitor - printer (only for DWA1100_{TRUCK})
 Truck and bus software and database
 4 truck sensors
 4 clamps + safety elastic band + 1 set of grips
 Steering lock + Brake pedal lock

TECHNICAL DATA



PACKAGE DIMENSIONS AND GROSS WEIGHT:

TYPE: 113x113x113 cm (44,5x44,5x44,5") 485
 lbs. (220 Kg)

Net weight: 342 lbs (155 Kg 342 lbs)

OPTIONS



2 truck turn plates: capacity 9920 lbs. per
 plate, Ø 40 cm, with nylon spheres



Adapter rod for semitrailers' king pin



CEMB USA - BL Systems Inc.
 2873 Ramsey Road
 Gainesville, GA 30501 - USA
 Phone +001 678 717 1050
 Fax +001 678 717 1056
 sales@cemb-usa.com
www.cemb-USA.com

All the data and features mentioned in this catalogue are purely for information and do not constitute any commitment on the part of our company, which reserves the right to make any and all alterations it may consider suitable without notice.